

Serveur Web

Installation du serveur apache, config ip du serveur web et activation du site internet.


```
# The primary network interface
allow-hotplug ens192
iface ens192 inet static
address 192.168.17.1
netmask 255.255.255.0
gateway 192.168.17.254
```

/etc/network/interfaces

Apache tourne bien :

```
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Wed 2024-11-13 13:11:05 CET; 4 weeks 0 days ago
     Docs: https://httpd.apache.org/docs/2.4/
   Process: 40064 ExecReload=/usr/sbin/apachectl graceful (code=exited, status=0/SUCCESS)
  Main PID: 741 (apache2)
    Tasks: 11 (limit: 1098)
   Memory: 98.0M
      CPU: 26.427s
```

Le site tourne bien :



Non sécurisé | 172.31.200.1

Apache2 groupe 1 Debian Default Page

It works!

is the default welcome page used to test the correct operation of the Apache2 server after installation on Debian systems. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means the site is currently unavailable due to maintenance. If the problem persists, please contact the site administrator.

Configuration Overview

Debian's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Debian tools. The configuration system is **fully implemented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Debian systems is as follows:

```
etc/apache2/
├── apache2.conf
├── ...
└── ports.conf
```